

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1579	@ad<"20040130" @rlad<"20040130") and ( ( tunnel\$5 ) near3 ( address id GUID identifier mobile wireless session connection circuit\$5 path link VCI number information integer handle\$5 object \$5 ) ) and ( 370/351-357,399,395.2,395.3,395.54,409,419-420,469.ccls. 455/436.ccls. 709/220-223,227-229,245,249,200.ccls. )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/07/12 15:20
L3	220	L1 and ( ( tunnel\$5 ) near9 (server gateway master manag\$5 setup build\$5 construct\$5 initiat\$5 forming formation creat\$5 establish\$5 prepar\$5 groom\$5 discover\$5 learn\$5 house\$5 start\$5 reuse maintenance maintain\$3 persist\$5 supervis\$5 ) ) and ( ( \$3select\$5 preset\$4 fixed unique \$3determined \$3assign\$5 \$3allocat\$5 search\$5 query\$5 look\$5 find\$5 acquir\$5 \$3generat\$5 provision\$5 dedicated exclusive\$3 related corresponding list\$5 directory table database available pool plurality multiple existing resolv\$5 conflict\$5 related associated correspond\$5 match\$5 unused next increment\$3 allot\$5 logical host ) near3 ( address id identifier integer number integer GUID handle\$5 object\$5 dedicated exclusive\$3 ) same ( ( callee caller initiating initiator source inbound in-bound incoming in-coming outbound out-bound outgoing out-going destination target ) near4 ( based according depend\$3 whether mode solely dedicated exclusive\$3 only ) ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/07/12 15:28

## **EAST Search History (Interference)**

< This search history is empty >

**7/12/2011 3:32:27 PM**

**C:\Documents and Settings\gbengzon\My Documents\EAST\Workspaces\GCB 10597496 Reusable tunnel address  
per device endpoint3.wsp**